Transboundary Spill NPDES CA0108928 Order No. R9-2014-0009, Amended by R9-2014-0034	
Type _A_ B 5 (17/18 (CAL OES 1-800-852-7550)	
Name of Person Reporting Spill <u>Carlos Pena</u>	
Telephone No. of Person Reporting619-210-1370	
Spill Location/Name Tijuana River at the International Boundary	
GPS Coordinates 32.32.30 N, 117.2.18 W	
Spill Reached:Drainage ChannelDrainage StructureXXX _Surface Water	
Spill Reached:MS4 MS4 Owner	
Vol Spill to MS4Vol Recovered from MS4	
Estimate Spill Volume from All Sources Approx. 208,000 Gallons	
Volume That Reached: Surface Water, Drainage Channel, Not Recovered from MS4_Approx. 208,000	
Gallons	
Total Recovered Volume	
Number of Spill Appearance Points1	
Appearance Descriptions Slighty Clear Water	
Spill Flow: Start Date 01/29/18 Start Time Approximately 1500	
Notification: Date <u>01/29/18</u> Time <u>1530</u>	
Operator Arrival: Date <u>01/29/18</u> Time <u>1500</u>	
Spill Flow: End Date01/29/18End Time1520	
Cleanup Completed: DateNATime	
Probable Cause of SpillElectrical Malfunction at Pump Station CILA	
Notification of CAL OES Date01/29/18 Time1630	
CAL OES Control Number 18-0655 Nicki Criger	
Description of Spill Flow Destination Tijuana River Channel	
Spill Flow Cause Electrical Malfunction at Pump Station CILA	
Spill Flow Failure Point Pump Station CILA	
Spill Flow Storm EventN/A	
Spill Corrective ActionsNone	
Spill Flow Response ActionsNone	
Spill Flow Completion Date 02/04/18	
InvestigationN/A Reasons Completion Date_	
Health Warnings Posted Yesx No	_
Name of Beaches Impacted: None Surface Water Impacted: Tijuana River	
Location and No. Of Samples Collected (Type A)N/ANumber	
Parameters Tested N/A	
Regulatory Agencies Receiving ResultsN/A	
Methodology for Spill Volume EstimateFlow Rates at CILA Pump Station	
Amount of Spill Recovered	
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with	а
system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the property system designed to assure that qualified personnel properly gather and evaluate the information submitted.	arcon
or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the	e
best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment for knowledge good and imprisonment for knowledge good and the possibility of fine and imprisonment for knowledge good good good good good good good	tion,
Certifying Official Carlos Pena Title Area Operations Manager Date 01/29/18	
Signature	
STEEL II II	